


FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark OfficeAtty Docket No.  
P0960R1D1C2Serial No.  
09/579,933

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant  
Goeddel et al.Filing Date  
26 May 2000Group  
1641 1648

## U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
LD	* 1	4,861,587	29.08.89	Urbaschek et al.			14.04.87
	2	5,789,550	04.08.98	Goeddel et al.			
	3	6,004,553	21.12.99	Goeddel et al.			
	4	6,060,303	09.05.00	Goeddel et al.			
	5	6,063,585	16.05.00	Goeddel et al.			

RECEIVED  
SEP 05 2001

## FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation
LD	* 6	417,563	20.03.91	EPO (ENGLISH ABSTRACT ATTACHED)			Yes No
LD	* 7	418,014	20.03.91	EPO			

TECH CENTER 1600/2900

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

LD	* 8	Ausubel et al., "Introduction of DNA into Mammalian Cells" <u>Current Protocols in Molecular Biology</u> 1:9.11-9.1.4 (1990)					
	* 9	Berg, J., "Zinc Fingers and Other Metal-Binding Domains" <u>Journal of Biological Chemistry</u> 265(12):6513-6516 (1990)					
	*10	Beutler, B. and Cerami, A., "Tumor necrosis, cachexia, shock, and inflammation: a common mediator" <u>Ann. Rev. Biochem.</u> 57:505-518 (1988)					
	*11	Blake et al., "The sequences of the human and mouse c-cbl proto-oncogenes show v-cbl was generated by a large truncation encompassing a proline-rich domain and a leucine zipper-like motif" <u>Oncogene</u> 6:653-657 (1991)					
	*12	Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines by monoclonal antibodies" <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)					
	*13	Chan et al., "Molecular definition and sequence motifs of the 52-kD component of human SS-A/Ro Autoantigen" <u>J. Clin. Invest.</u> 87:68-76 (1991)					
	*14	Cheng and Baltimore, "TANK, a co-inducer with TRAF2 of TNF- and CD40L-mediated NF-kB activation" <u>Genes &amp; Development</u> 10:963-973 (1996)					
	*15	Cheng et al., "Involvement of CRAF1, a relative of TRAF, in CD40 signaling" <u>Science</u> 267(8):1494-1498 (1995)					
	*16	Chevray et al., "Protein interaction cloning in yeast: identification of mammalian proteins that react with the Leucine Zipper of Jun" <u>Proc. Natl. Acad. Sci. USA</u> 89:5789-5793 (1992)					
	*17	Chien et al., "The Two-Hybrid System: A method to identify and clone genes for proteins that interact with a protein of interest" <u>Proc. Natl. Acad. Sci. USA</u> 88:9578-9582 (1991)					
	*18	Clontech Catalog pps. 19, 192-194 (1994)					
	*19	Deng et al., "COPI1, an arabidopsis regulatory gene, encodes a protein with both a zinc-binding motif and a G, homologous domain" <u>Cell</u> 71:791-801 (1992)					
	*20	Driscoll and Williams, "Two divergently transcribed genes of dictyostelium discoideum are cyclic AMP-inducible and coregulated during development" <u>Molecular &amp; Cellular Biology</u> 7(12):4482-4489 (1987)					

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
RECEIVED  
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/579,933

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

1641

RECEIVED  
1648

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

SEP 05 2001

TECH CENTER 1600/2900

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

25 2000

21	EMBL Sequence Database Accession No. U51907 (March 20, 1996)
22	Engelmann et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-like Activity" <u>Journal of Biological Chemistry</u> 265(24):14497-14504 (1990)
23	Espevik et al., "Characterization of binding and biological effects of monoclonal antibodies against a human tumor necrosis factor receptor" <u>Journal of Experimental Medicine</u> 171:415-426 (1990)
24	Fields and Song, "A novel genetic system to detect protein-protein interactions" <u>Nature</u> 340:245-246 (1989)
25	Fiers, W., "Tumor necrosis factor characterization at the molecular, cellular and In Vivo level" <u>FEBS Letters</u> 285(2):199-212 (1991)
26	Freemont et al., "A novel cysteine-rich sequence motif" <u>Cell</u> 64:483-484 (1991)
27	Genethon, "EMBL Sequence Database" Accession No. Z43715 XP002018922 (November 6, 1994)
28	Goeddel et al., "Tumor Necrosis Factors: Gene Structure and Biological Activities" <u>Cold Spring Harbor Symposia on Quantitative Biology</u> LI:597-609 (1986)
29	Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor" <u>Molecular &amp; Cellular Biology</u> 11:3020-3026 (1991)
30	Gray et al., "Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine with Tumour Necrosis Activity" <u>Nature</u> 312:721-724 (1984)
31	Haupt et al., "Novel zinc finger gene implicated as myc collaborator by retrovirally accelerated lymphomagenesis in Eμ-myc transgenic mice" <u>Cell</u> 65:753-763 (1991)
32	Hohmann et al., "Expression of the types A and B tumor necrosis factor (TNF) receptors is independently regulated, and both receptors mediate activation of the transcription factor NF-κB" <u>Journal of Biological Chemistry</u> 265:22409-22417 (1990)
33	Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNFα)" <u>Journal of Biological Chemistry</u> 264(25):14927-14934 (1989)
34	Hoog, C. <u>Nucleic Acids Research</u> 19:6123-27 (1991)
35	Hoog, C., "Sequence Listing 1" EMBL Sequence Database Accession No. X61807 (September 4, 1991)
36	Hsu et al., "The TNF receptor 1-associated protein TRADD signals cell death and NF-κB activation" <u>Cell</u> 81:495-504 (1995)
37	Hu et al., "A novel RING finger protein interacts with the cytoplasmic domain of CD40" <u>Journal of Biological Chemistry</u> 269(48):30069-30072 (1994)
38	Inoue et al., "Genomic binding-site cloning reveals an estrogen-responsive gene that encodes a ring finger protein" <u>Proc. Natl. Acad. Sci. USA</u> 90:11117-11121 (1993)
39	Inui et al., "Identification of the intracytoplasmic region essential for signal transduction through a B cell activation molecule, CD40" <u>European Journal of Immunology</u> 20:1747-1753 (1990)
40	Itoh et al., "Protein heterogeneity in the human Ro/SSA ribonucleoproteins" <u>J. Clin. Invest.</u> 87:177-186 (1991)

Examiner

Date Considered

9/29/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

RECEIVED

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/579,933

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

1641

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

TECH CENTER 1600/2900

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

40	*41	Jones et al., "The <i>saccharomyces cerevisiae</i> RAD18 gene encodes a protein that contains potential zinc finger domains for nucleic acid binding and a putative nucleotide binding sequence" <u>Nucl. Acids Res.</u> 16(14):7119-7131 (1988)
	*42	Kohn et al., "A second tumor necrosis factor receptor gene product can shed a naturally occurring tumor necrosis factor inhibitor" <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990)
	*43	Laegreid et al., "Tumor necrosis factor receptor p75 mediates cell-specific activation of nuclear factor kB and induction of human cytomegalovirus enhancer" <u>Journal of Biological Chemistry</u> 269:7785-7791 (1994)
	*44	Laherty et al., "The Epstein-Barr virus LMP1 gene product induces A20 zinc finger protein expression by activating nuclear factor kB" <u>Journal of Biological Chemistry</u> 267:24157 (1992)
	*45	Landschulz et al., "The leucine zipper: a hypothetical structure common to a new class of DNA binding proteins" <u>Science</u> 204:1759-1764 (1988)
	*46	Lenardo and Baltimore, "NF-kB: A pleiotropic mediator of inducible and tissue-specific gene control" <u>Cell</u> 58:227-229 (1989)
	*47	Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <u>Proc. Natl. Acad. Sci. USA</u> 88:2830-2834 (1991)
	*48	Liou and Baltimore, "Regulation of the NF-kB/rel transcription factor and 1kB inhibitor system" <u>Curr. Opin. Cell Biol.</u> 5:477-487 (1993)
	*49	Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (April 20, 1990)
	*50	Mardon and Page, "The sex-determining region of the mouse Y chromosome encodes a protein with a highly acidic domain and 13 zinc fingers" <u>Cell</u> 56:765-770 (1989)
	*51	Miller et al., "Repetitive zinc-binding domains in the protein transcription factor IIIA from <i>Xenopus</i> Oocytes" <u>EMBO Journal</u> 4(6):1609-1614 (1985)
	*52	Miyatake et al., "Structure of the chromosomal gene for granulocyte-macrophage colony stimulating factor: comparison of the mouse and human genes" <u>EMBO Journal</u> 4:2561-2568 (1985)
	*53	Mosialos et al., "The Epstein-Barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family" <u>Cell</u> 80:389-399 (1995)
	*54	Naume, B. et al., "Involvement of the 55- and 75-kDa tumor necrosis factor receptors in the generation of lymphokine-activated killer cell activity and proliferation of natural killer cells" <u>J. Immunol.</u> 146:3035-3048 (1991)
	*55	Neta et al., "Comparison of the In Vivo effects of rIL-1 and rTNF in radioprotection, induction of CSF and of acute phase reactants" <u>Fed. Proc.</u> (Abstract) 46(4):1200 (1987)
	*56	Neta et al., "Interdependence of the radioprotective effects of human recombinant interleukin 1 $\alpha$ , tumor necrosis factor $\alpha$ , granulocyte colony-stimulating factor, and murine recombinant granulocyte-macrophage colony-stimulating factor" <u>J. Immunol.</u> 140(1):108-111 (1988)
	*57	Neta et al., "Interleukin 1 is a radioprotector" <u>J. Immunol.</u> 136(7):2483-2485 (April 1, 1986)
	*58	Nietfeld et al., "Second-order repeats in <i>xenopus laevis</i> finger proteins" <u>J. Mol. Biol.</u> 208:639-659 (1989)
	*59	Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor" <u>EMBO Journal</u> 9:3269-3278 (1990)
	*60	Old, L.J., "Tumor Necrosis Factor" <u>Sci. Am.</u> 258(5):59-75 (1988)

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/579,933

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

~~1641~~ 1648

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

50	*61	Opipari et al., "The A20 cDNA induced by tumor necrosis factor $\alpha$ encodes a Novel type of zinc finger protein" <u>Journal of Biological Chemistry</u> 265:14705-14708 (1990)
	*62	Patarca et al., "rpt-1, an intracellular protein from helper/inducer T cells that regulates gene expression of interleukin 2 receptor and human immunodeficiency virus type 1" <u>Proc. Natl. Acad. Sci. USA</u> 85:2733-2737 (1988)
	*63	Pennica et al., "Human Tumour Necrosis Factor: Precursor Structure, Expression and Homology to Lymphotoxin" <u>Nature</u> 312:724-729 (1984)
	*64	<u>Pharmacia Catalog</u> pps. 133, 142-143 (1994)
	*65	Reddy et al., "A novel zinc finger coiled-coil domain in a family of nuclear proteins" <u>Trends Biochem. Sci.</u> 17:344-345 (1992)
	*66	Rothe et al., "A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDA tumor necrosis factor receptor" <u>Cell</u> 78:681-692 (1994)
	*67	Rothe et al., "I-TRAF is a novel TRAF-interacting protein that regulates TRAF-mediated signal transduction [C [C [C] <u>Proceedings of the National Academy of Sciences</u> 93(16):8241-8246 (1996)
	*68	Rothe et al., "The TNFR2-TRAF signaling complex contains two novel proteins related to baculoviral inhibitor of apoptosis proteins" <u>Cell</u> 83(7):1243-1252 (1995)
	*69	Rowe et al., "Upregulation of bcl-2 by the Epstein-Barr virus latent membrane protein LMP1: a B-cell-specific response that is delayed relative to NF-kB activation and to induction of cell surface markers" <u>Journal of Virology</u> 68:5602 (1994)
	*70	Ruiz i Altaba et al., "Xfin: an embryonic gene encoding a multifingered protein in Xenopus" <u>EMBO Journal</u> 6(10):3065-3070 (1987)
	*71	Sambrook et al. <u>Molecular Cloning, A Laboratory Manual</u> Chapter 16:16.3-16.81 (1989)
	*72	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (April 20, 1990)
	*73	Schatz et al., "The V(D)J recombination activating gene, RAG-1" <u>Cell</u> 59:1035-1048 (1989)
	*74	Schindler and Baichwal, "Three NF-kB binding sites in the human E-selectin gene required for maximal tumor necrosis factor alpha-induced expression" <u>Molecular &amp; Cellular Biology</u> 14(9):5820-5831 (1994)
	*75	Shalaby et al., "Binding and regulation of cellular functions by monoclonal antibodies against human tumor necrosis factor receptors" <u>Journal of Experimental Medicine</u> 172:1517-1520 (1990)
	*76	Smith and Johnson, "Single-step purification of polypeptides expressed in escherichia coli as fusions with glutathione S-transferase" <u>Gene</u> 67:31-40 (1988)
	*77	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" <u>Science</u> 248:1019-1023 (May 25, 1990)
	*78	Smith et al., "The TNF receptor superfamily of cellular and viral proteins: activation, costimulation, and death" <u>Cell</u> 76:959-962 (1994)
	*79	Song et al., "The tumor necrosis factor-inducible zinc finger protein A20 interacts with TRAF1/TRAF2 and inhibits NF-kappaB activation" <u>Proceedings of the National Academy of Sciences</u> 93(13):6721-6725 (1996)
	*80	Stanley et al., "The structure and expression of the murine gene encoding granulocyte-macrophage colony stimulating factor: evidence for utilisation of alternative promoters" <u>EMBO Journal</u> 4:2569-2573 (1985)

Examiner

C. J. A. S.

Date Considered

9/29/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/578,933

LIST OF DISCLOSURES CITED BY APPLICANT  
SERIAL 21 2000

(Use several sheets if necessary)

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

1641

1648

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

*81	Takahashi et al., "Developmentally regulated expression of a human "finger"-containing gene encoded by the 5' half of the ret transforming gene" <u>Molecular &amp; Cellular Biology</u> 8(4):1853-1856 (1988)
*82	Tartaglia and Goeddel, "Two TNF receptors" <u>Immunology Today</u> 13:151-153 (1992)
*83	Tartaglia et al., "Stimulation of human T-cell proliferation by specific activation of the 85-kDa tumor necrosis factor receptor" <u>Proc. Natl. Acad. Sci. USA</u> 151:4637-4641 (1993)
*84	Tartaglia et al., "The two different receptors for tumor necrosis factor mediate distinct cellular responses" <u>Proc. Natl. Acad. Sci. USA</u> 88:9292-9296 (1991)
*85	Thanos and Maniatis, "NF-kB: A lesson in family values" <u>Cell</u> 80:529-532 (1995)
*86	Tomita et al., "The neurospora uvs-2 gene encodes a protein which has homology to yeast RAD18, with unique zinc finger motifs" <u>Mol. Gen. Genet.</u> 238:225-233 (1993)
*87	Urbaschek et al., "Tumor necrosis factor induced stimulation of granulopoiesis and radioprotection" <u>Lymphokine Research</u> 6(3):179-186 (1987)
*88	Vinson et al., "Scissors-grip model for DNA recognition by a family of leucine zipper proteins" <u>Science</u> 246:911-916 (1989)
*89	Wiegmann et al., "Human 55-kDa receptor for tumor necrosis factor coupled to signal transduction cascades" <u>Journal of Biological Chemistry</u> 267:17997-18001 (1992)

RECEIVED

SEP 05 2001

TECH CENTER 1600/2900

Examiner

L. A. S. 82

Date Considered

9/29/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.